

WHAT IS CLAIMED IS:

1. A device for providing a visual display to a child/infant for play or entertainment, comprising:

a flexible device body of a form for providing a

5 child/infant play or entertainment;

one or more flexible multipixel displays mounted on at least one surface of said device body for providing a visual display to said child/infant;

10 a driver circuit coupled to said display array for providing electronic signals controlling said visual display;

and

15 a processor coupled to said driver circuit for programming said electronic signals.

2. The device of Claim 1, wherein said one or more displays is an light-emitting diode (LED) display.

3. The device of Claim 2, wherein said one or more displays is an organic light-emitting diode (OLED) display.

20

4. The device of Claim 1, wherein said device is a child/infant transportation device.

5. The device of Claim 4, wherein said transportation device includes a bar for retaining a child or infant, wherein said multipixel display is a flexible display, and wherein said flexible display is adapted for attachment around a
5 circumference of said bar.

6. The device of Claim 4, wherein the device includes a mobile attached to the transportation device including a plurality of suspended mobile figures, and wherein at least one of said one
10 or more displays forms a surface of at least one of said mobile figures.

7. The device of Claim 1, wherein the device is a child/infant plush toy and said multipixel display forms a portion of said
15 surface of said plush toy.

8. The device of Claim 1, wherein said device is a child/infant toy emulating an adult device having a display, wherein said device body is a flexible device body, and wherein said display
20 emulates a display on the corresponding adult device.

9. The device of Claim 1, wherein said device is a device for suspension over a child in a crib.

10. The device of Claim 9, wherein said device is a mobile including a plurality of mobile figures and suspension arms for suspending said mobile figures, and wherein at least one of said one or more displays forms a surface of at least one of said
5 mobile figures.

11. The device of Claim 10, wherein said at least one display is shape-cut for providing an outline of said at least one mobile figure.

10

12. The device of Claim 9, wherein at least one of said suspension arms includes at least one of said one or more displays conformal to a surface of the at least one suspension arm, whereby said suspension arm display is programmed to
15 further provide a visual display.

13. The device of Claim 1, wherein the display is a flat flexible display adapted for use on a automobile seat, whereby the device is draped over the automobile seat and said display
20 is thereby presented for viewing by a child.

14. The device of Claim 1, wherein the display is a flat flexible display adapted for attachment to a crib or playpen, whereby the display is held vertically for viewing by a child in said crib or playpen.

5

15. The device of Claim 1, wherein the device is a play desk having a flexible body and wherein said at least one display is arranged on a top surface of the play desk, whereby a child/infant sitting at said play desk can view said one or more displays.

10

16. The device of Claim 1, wherein the device is a toy in the form of a simple geometric solid, and wherein said at least one display occupies at least one face of the toy.

15

17. The device of Claim 16, wherein said toy is in the form of a ball having surface sections approximating a sphere, wherein at least one of said sections is occupied by one of said at least one displays.

20

18. The device of Claim 1, wherein said toy is in the form of a push toy having a handle and a rollable element disposed at one end, and wherein said at least one display is disposed on a surface of said rollable element.

19. A device for providing a visual display to a child/infant
for play or entertainment, comprising:

a device body of a form for providing a child/infant play
or entertainment;

5 one or more multipixel displays mounted on at least one
surface of said device body for providing a visual display to
said child/infant;

a driver circuit coupled to said display array for
providing electronic signals controlling said visual display;

10 and

a processor coupled to said driver circuit for programming
said electronic signals.

20. The device of Claim 19, wherein said one or more displays is
15 a light-emitting diode (OLED) display.

21. The device of Claim 20, wherein said one or more displays is
an organic light-emitting diode (OLED) display.

20 22. The device of Claim 20, wherein said device is a
child/infant transportation device.

23. The device of Claim 20, wherein said multipixel display is contained in a housing and wherein said housing is adapted for attachment to a frame of said infant/child transportation device.

5

24. The device of Claim 20, wherein said device is a child/infant toy emulating an adult device having a display, and wherein said display emulates the display on a corresponding adult device.